



CGS TEST HİZMETLERİ TEKNİK KONTROL VE BELGELENDİRME ANONİM ŞİRKETİ



KAYIŞDAĞI MAH. GÜLÇİN SOK. NO:2/2
ATAŞEHİR/İSTANBUL/TURKİYE

Deney Raporu
Test Report

LVD-183-42

01-20

Müşterinin adı /adres:
Customer name/address

Mutlusan Plastik Elektrik San. ve Tic. A.Ş./ İOSB mah. Enkoop cad. No: 7 Başakşehir / İstanbul

Üretici/ Üretim Yeri:
Manufacturer/ Manufacturing Location

Mutlusan Plastik Elektrik San. ve Tic. A.Ş./ İOSB mah. Enkoop cad. No: 7 Başakşehir / İstanbul

İstek Numarası:
Order no.

Numunenin Adı ve Tanımı:
Name and identity of test item

010 090 010006; Sinyal Armatürü / Signal Armature

Numunenin Kabul tarihi:
The date of receipt of test item

26-12-2019

Açıklamalar:
Remarks

Ürün ilgili testlerden geçmiştir, lütfen raporu inceleyiniz. / The product passes related tests, see report below.

Deneyin yapıldığı tarih:
Date of Test

02-01-2020

Deneyin Yapıldığı Yer:
Testing Location

KAYIŞDAĞI MAH. GÜLÇİN SOK. NO:2/2 ATAŞEHİR/İSTANBUL

Deney Standartı
Test Standard

EN 60073:2002

Raporun Sayfa Sayısı:
Number of pages of the Report

6 sayfa/pages

Tarih
Date

02-01-2020

Deney Sorumlusu
Person in charge of test

Naim Koralp KARAKOÇ

Laboratuvar Müdürü
Head of Testing Laboratory

Timur GÜSER



X. Koralp

T. Güser

Bu rapor laboratuvarın izni olmadan kısmen kopyalanıp çoğaltılamaz.

İmzasız ve mühürsüz raporlar geçersizdir.

This report shall not be reproduced other than in full except with the permission of the laboratory

Testing reports without signature and seal are not valid.


Rapor No / Report No: LVD-183-42

Format No: F510_44_R1.0

CGS TEST HİZMETLERİ TEKNİK KONTROL VE BELGELENDİRME ANONİM ŞİRKETİ

KAYIŞDAĞI MAH. GÜLÇİN SOK. NO:2/2 ATAŞEHİR/İSTANBUL/TURKİYE

Page 1 / 6

TEST REPORT IEC 60073 Basic and safety principles for man-machine interface, marking and identification- Coding principles for indication devices and actuators	
Report Reference No.....:	LVD-183-42
Date of issue.....:	02-01-2020
Contents.....:	6 pages
Testing Laboratory.....:	CGS TEST HİZMETLERİ TEKNİK KONTROL VE BELGELENDİRME A.Ş.
Address.....:	KAYIŞDAĞI MAH. GÜLÇİN SOK. NO:2/2 ATAŞEHİR/İSTANBUL
Testing location.....:	CGS TEST HİZMETLERİ TEKNİK KONTROL VE BELGELENDİRME A.Ş.
Address.....:	KAYIŞDAĞI MAH. GÜLÇİN SOK. NO:2/2 ATAŞEHİR/İSTANBUL
Applicant's name	Mutlusan Plastik Elektrik San. ve Tic. A.Ş.
Address.....:	IOSB mah. Enkoop cad. No: 7 Başakşehir / İstanbul
Test specification:	
Standard.....:	EN 60073:2002
Test procedure	Type Test
Non-standard test method.....:	N/A
Test Report Form No	F510_44_R1.0
Test item description.....:	SIGNAL ARMATURE
Trade Mark	
Manufacturer.....:	Mutlusan Plastik Elektrik San. ve Tic. A.Ş.
Model/Type reference.....:	010 090 010006
Ratings.....:	24V

Clause	Requirement	Result - Remark	Verdict
4	CODING PRINCIPLES		P
4.1	General		P
	Visual codes:	Color	P
	Acoustic codes:	No acoustic	N/A
	Codes for touch sensation:	No codes for touch sensation	N/A
4.2	Visual codes	Color and elements change over time are the most effective visual tools. Therefore, these codes should be used with appropriate meanings. As an example: colors to give priority and lighted warning to attract attention. It is recommended that the color coding tool should not be used alone if the person with color blind works as an operator.	P
4.2.1	Color coding	Red, yellow, green, blue, black, gray, white	P
4.2.1.1	Choice of colors	See table 1	P
4.2.1.2	Colors on video display screens		N/A
4.2.1.3	Contrasting colors		N/A
4.2.2	Coding with shapes and / or position	No coding with shapes and / or position	P
4.2.3	Coding by changing the characteristics over time		N/A
4.2.3.1	General		N/A
4.2.3.2	Illuminated warning frequencies with visual characteristics		N/A
4.3	Acoustic codes	No acoustic codes	N/A
4.4	Codes for touch sensation:	No codes for touch sensation	N/A
5	APPLICATION RULES		P
5.1	Indicator shapes	a) Stimulation To attract the operator's attention or to show that he or she must perform a specific task	P
5.2	Types of activation	It is only visually indicated by color codes.	P
5.2.1	Non-illuminated actuating elements		P
5.2.1.1	Emergency actuating elements	Red color	P
5.2.1.2	STOP / CIRCUIT BREAKER activation elements	While the main preference is for black, the choice for STOP / CIRCUIT BREAKER actuating elements colors are white, gray and black. Red is also allowed. Green should not be used.	P
5.2.1.3	RUN / CIRCUIT OFF activation elements	Although the main preference is for white, the switching devices are switched off and the the preferred colors for choosing RUN / CIRCLE OFF activation gray and black truck. green is also allowed. red is not used.	p

5.2.1.4	Using white and black for specific meanings	If white and black colors are used to distinguish between START / CIRC OFF and STOP / CIRCUIT activation elements, white color should be used for START / CIRC OFF activation elements, black color must be used for STOP / CIRCUIT activation elements.	P
5.2.1.5	The same actuating elements used for START and STOP or CLOSING CIRCUIT and CUTTING CIRCUIT	White, gray and black can be preferred as a START / CIRCUIT CLOSED STOP / CIRCUIT activation element when actuated multiple times, respectively. Not green and red color	P
5.2.2	Illuminated actuating elements	No illuminated actuating elements	N/A
5.2.2.1	Types	-	N/A
5.2.2.2	Basic rule	-	N/A
5.2.2.3	Types of use	-	N/A
5.2.2.3.1	Main operating modes for actuators a and b	-	N/A
	a) Indicator	-	N/A
	b) confirmation	-	N/A
5.2.2.3.2	Tip c)	-	N/A
5.2.3	Actuating elements that act as part of a pictorial display on a video screen	No video screen	N/A
5.2.3.1	Introduction of activation elements	-	N/A
5.2.3.2	Emergency starting situations	-	N/A

Table 1

MEANING OF COLORS OF THE INDICATORS IN RE			
COLOR	MEANING	EXPLANATION	ACTION OF THE OPERATOR
RED	Emergency	Dangerous conditions	Immediate action to deal with a dangerous condition e.g. by: -operating emergency stop -opening safety valve -starting cooling pump
YELLOW	Abnormal	-Abnormal condition -Impending critical condition	Monitoring and/or intervention (e.g. by reestablishing the intended function)
GREEN	Normal	Normal conditions	Optional
BLUE	Mandatory necessarily important		
WHITE GRAY BLACK	No specific meaning assigned		

Annex 1 – Photos



Photo Documentation

Annex 2 – Declaration identity

As Mutlusan Plastik Elektrik San ve Tic AŞ; we declare that 010 090 010006 coded 14MM SIGNAL ARMATURE 24V product is similar to the following products electrically and mechanically.

Product Name	Product Code
22MM SIGNAL ARMATURE 24V	010 090 010009

MUTLUSAN PLASTİK ELEKTRİK SAN. ve TİC. A.Ş.
İkitelli Organize Sanayi Bölgesi / Mah. Enkoop Cad.
No:7 Başakşehir/İSTANBUL / Tel:0212 485 05 44 (pbx)
Fax:0212 485 10 12 www.mutlusan.com.tr
Marmara Kurumlar V.D. : 6260386887
Tic.Sic.No:399323 Mersis No:0626-0366-8870-0015

Mutlusan Plastik Elektrik
San.ve Tic.A.Ş.

İOSB Mah.Enkoop Cad. No:7
Başakşehir/İSTANBUL
Tel: +90 212 485 05 44
Fax: +90 212 485 10 12

Rapor No / Report No: LVD-183-42
Format No: F510_44_R1.0